

**CENTRAL MAINE POWER COMPANY
RESPONSE TO ORAL DATA REQUEST NO. 3
DOCKET No. 2008-255**

December 8, 2008

ODR-03-24

- Q.** Referencing EX-02-09 (PSNH Spreadsheet, Tab 3). Please provide CMP's information in the same format as tab 3 of the PSNH spreadsheet.
- A.** Attached please find the requested data in a similar format, ordered sequentially in the spreadsheet.

Response Prepared By:

Paul Lerley
Engineer, System Planning
Central Maine Power Company

Response Submitted By:

David Conroy
Manager, System Planning
Central Maine Power Company

Attachment(s):

1. PP7-NX9 for PUC.xls

Sect	DeviceType	Voltage	FrSta	ToSta	SNORM	SLTE	SSTE	SDAL	WNORM	WLTE	WSTE	WDAL
60	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
60	Relay	115			1151.00	1151.00	1151.00	1151.00	1151.00	1151.00	1151.00	1151.00
60	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
60	Relay	115			1135.00	1135.00	1135.00	1135.00	1135.00	1135.00	1135.00	1135.00
60	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
60	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
60	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
60	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
60	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
60	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
60	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
60	Conductor	115	MAXCYS 115	BROWNS CROSSING	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
60	Conductor	115	BROWNS CROSSING	BOWMAN STREET	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
60	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
60	Conductor	115	MAXCYS 115	BROWNS CROSSING	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
61A	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
61	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
61	Conductor	115	GULF ISLAND	NORWAY	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
61A	Conductor	115	61A TAP	HOTEL ROAD	113.60	113.60	125.20	145.20	210.00	210.00	220.00	267.60
61A	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
61A	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
61	Relay	115			493.00	493.00	493.00	493.00	493.00	493.00	493.00	493.00
61	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
61	Relay	115			492.70	492.70	492.70	492.70	492.70	492.70	492.70	492.70
61A	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
61	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
61A	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
61	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
61	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
61	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
61	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
61A	Relay	115			196.10	196.10	196.10	196.10	196.10	196.10	196.10	196.10
62	Conductor	115	CROWLEYS	SUROWIEC 115	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
62	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
62	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
62	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
62	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
62	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
62	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
62	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
62	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
62	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
62	Relay	115			941.00	941.00	941.00	941.00	941.00	941.00	941.00	941.00
62	Relay	115			1185.00	1185.00	1185.00	1185.00	1185.00	1185.00	1185.00	1185.00
62	Relay	115			1443.00	1443.00	1443.00	1443.00	1443.00	1443.00	1443.00	1443.00
62	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
62	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
63	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
63B	Trap	115			167.32	192.81	251.77	275.67	180.06	207.15	269.30	296.39
63B	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
63A	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
63A	AB Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02

63	Breaker	115			175.28	188.03	266.11	318.70	196.00	213.53	291.61	318.70
63	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
63	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
63	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
63	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
63	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
63	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
63	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
63	Breaker	115			175.28	188.03	266.11	318.70	196.00	213.53	291.61	318.70
63	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
63	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
63	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
63A	Conductor	115	63A TAP	WILLIAMS HYDRO	88.70	88.70	89.50	100.40	110.00	110.00	111.60	124.70
63	Relay	115			418.00	418.00	418.00	418.00	418.00	418.00	418.00	418.00
63	Relay	115			307.00	307.00	307.00	307.00	307.00	307.00	307.00	307.00
63B	Conductor	115	63B TAP	MADISON PAPER	42.30	42.30	45.30	58.90	190.50	190.50	202.40	251.80
63	Conductor	115	WYMAN HYDRO	SECT 63A TAP	152.70	152.70	164.60	194.60	231.00	231.00	242.00	293.30
63	Conductor	115	STURTEVANT	LIVERMORE FALLS	152.70	152.70	164.60	194.60	231.00	231.00	242.00	293.30
63A	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
63C	Conductor	115	63C TAP	EMBDEN S/S	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
63	Conductor	115	SECT 63A TAP	SECT 63B TAP	152.70	152.70	164.60	194.60	231.00	231.00	242.00	293.30
63	Conductor	115	SECT 63B TAP	STURTEVANT	152.70	152.70	164.60	194.60	231.00	231.00	242.00	293.30
63	Conductor	115	STURTEVANT	LIVERMORE FALLS	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
63C	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
63C	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
63C	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
63C	Trap	115			167.32	192.81	251.77	275.67	180.06	207.15	269.30	296.39
64	Relay	115			954.90	954.90	954.90	954.90	954.90	954.90	954.90	954.90
64	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
64	Relay	115			803.00	803.00	803.00	803.00	803.00	803.00	803.00	803.00
64	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
64	Relay	115			803.00	803.00	803.00	803.00	803.00	803.00	803.00	803.00
64	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
64	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
64	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
64	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
64	Conductor	115	GULF ISLAND	SUROWIEC 115	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
64	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
64	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
64	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
64	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
64	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
65	Relay	115			933.00	933.00	933.00	933.00	933.00	933.00	933.00	933.00
65	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
65	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
65	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
65	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
65	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
65	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
65	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
65	Breaker	115			438.21	470.08	665.28	796.74	490.00	533.82	729.02	796.74
65	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05

65	Relay	115			1326.00	1326.00	1326.00	1326.00	1326.00	1326.00	1326.00	1326.00
65	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
65	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
65	Conductor	115	BUCKSPORT	STR 4	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
65	Conductor	115	STR 4	CMP STR 53	222.00	222.00	238.40	303.80	277.90	277.90	299.10	378.40
65	Conductor	115	CMP STR 53	BHE STR 95	222.00	222.00	238.40	303.80	277.90	277.90	299.10	378.40
66	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
66A	Conductor	115	66A TAP	GORBELL	43.80	43.80	62.80	72.80	185.40	185.40	194.10	234.10
66	Conductor	115	WYMAN HYDRO	HARTLAND	152.70	152.70	164.60	194.60	231.00	231.00	242.00	293.30
66	Conductor	115	HARTLAND	DETROIT	152.70	152.70	164.60	194.60	231.00	231.00	242.00	293.30
66	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
66	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
66	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
66	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
66	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
66	Relay	115			283.00	283.00	283.00	283.00	283.00	283.00	283.00	283.00
66	Relay	115			283.00	283.00	283.00	283.00	283.00	283.00	283.00	283.00
66	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
66	Disc Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
66	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
66	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
66	Disc Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
66	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
67A	Conductor	115	67A TAP	RICE RIPS 115	43.80	43.80	62.80	72.80	185.40	185.40	194.10	234.10
67	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
67	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
67	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
67	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
67	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
67	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
67	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
67A	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
67	Conductor	115	DETROIT	MAXCYS 115	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
67	Relay	115			299.00	299.00	299.00	299.00	299.00	299.00	299.00	299.00
67	Relay	115			283.00	283.00	283.00	283.00	283.00	283.00	283.00	283.00
67	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
68	Relay	115			879.00	879.00	879.00	879.00	879.00	879.00	879.00	879.00
68	Relay	115			879.00	879.00	879.00	879.00	879.00	879.00	879.00	879.00
68	Disc Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
68	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
68	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
68	Disc Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
68	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
68	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
68	Conductor	115	MAXCYS 115	MASON 115	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
68	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
68	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
69	Relay	115			735.00	735.00	735.00	735.00	735.00	735.00	735.00	735.00
69	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
69	AB Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
69	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
69	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
69	Relay	115			735.00	735.00	735.00	735.00	735.00	735.00	735.00	735.00

69	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
69	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
69	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
69	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
69	Conductor	115	SUROWIEC 115	TOPSHAM 115	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
69	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
69	Conductor	115	BATH 115	TOPSHAM 115	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
69	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
69	Relay	115			858.00	858.00	858.00	858.00	858.00	858.00	858.00	858.00
75	Relay	115			2069.60	2069.60	2069.60	2069.60	2069.60	2069.60	2069.60	2069.60
75	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
75	Relay	115			2005.40	2005.40	2005.40	2005.40	2005.40	2005.40	2005.40	2005.40
75	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
75	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
75	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
75	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
75	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
75	Conductor	115	CHALLENGER DRIVE	HOTEL ROAD	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
75	Relay	115			2005.40	2005.40	2005.40	2005.40	2005.40	2005.40	2005.40	2005.40
75	Conductor	115	LEWISTON LOWER	CHALLENGER DRIVE	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
75	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
75	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
75	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
75	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
80	Relay	115			212.00	212.00	212.00	212.00	212.00	212.00	212.00	212.00
80	Relay	115			212.00	212.00	212.00	212.00	212.00	212.00	212.00	212.00
80	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
80	Breaker	115			175.28	188.03	266.11	318.70	196.00	213.53	291.61	318.70
80	Trap	115			167.32	192.81	251.77	275.67	180.06	207.15	269.30	296.39
80	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
80	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
80	Trap	115			167.32	192.81	251.77	275.67	180.06	207.15	269.30	296.39
80	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
80	Conductor	115	MAXCYS 115	HIGHLAND	104.10	104.10	106.10	121.10	129.30	129.30	130.60	148.80
80	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
81A	Conductor	115	81A TAP	TOPSHAM 115	33.20	33.20	36.40	36.40	110.40	110.40	111.60	126.00
81	Relay	115			473.00	473.00	473.00	473.00	473.00	473.00	473.00	473.00
81	Relay	115			617.00	617.00	617.00	617.00	617.00	617.00	617.00	617.00
81	Relay	115			617.00	617.00	617.00	617.00	617.00	617.00	617.00	617.00
81	Conductor	115	MASON 115	SUROWIEC 115	130.60	130.60	134.10	157.10	162.50	162.50	166.70	195.50
81	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
81	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
81A	AB Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
81	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
81	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
81	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
81	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
81	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
81	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
81	Disc Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
81	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
81	Disc Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02

81A	AB Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
83C	Relay	115			133.00	133.00	133.00	133.00	133.00	133.00	133.00	133.00
83	Relay	115			261.00	261.00	261.00	261.00	261.00	261.00	261.00	261.00
83C	Conductor	115	83C TAP	SAPPI	84.80	84.80	89.30	102.20	152.80	152.80	156.50	182.20
83	Relay	115			261.00	261.00	261.00	261.00	261.00	261.00	261.00	261.00
83	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
83	Conductor	115	WYMAN HYDRO	WINSLOW	133.30	133.30	138.60	158.00	181.10	181.10	185.70	216.30
83B	Conductor	115	83B TAP	LAKEWOOD 115	38.10	38.10	47.90	54.30	135.20	135.20	138.40	159.30
83	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
83	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
83	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
83	AB Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
83	Relay	115			278.00	278.00	278.00	278.00	278.00	278.00	278.00	278.00
83	AB Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
83	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
83	Trap	115			167.32	192.81	251.77	275.67	180.06	207.15	269.30	296.39
83	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
83	Breaker	115			175.28	188.03	266.11	318.70	196.00	213.53	291.61	318.70
83B	AB Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
83C	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
83	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
83	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
84	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
84	Conductor	115	WINSLOW	MAXCYS 115	160.00	160.00	166.30	200.10	199.40	199.40	206.40	246.60
84	Relay	115			434.80	434.80	434.80	434.80	434.80	434.80	434.80	434.80
84	Relay	115			490.40	490.40	490.40	490.40	490.40	490.40	490.40	490.40
84	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
84	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
84	Disc Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
84	Disc Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
84	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
85	Relay	115			71.90	71.90	71.90	71.90	71.90	71.90	71.90	71.90
85	Disc Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
85	Breaker	115			175.28	188.03	266.11	318.70	196.00	213.53	291.61	318.70
85	Disc Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
85	Conductor	115	DETROIT	GUILFORD	43.80	43.80	62.80	72.80	185.40	185.40	194.10	234.10
86	Relay	115			447.00	447.00	447.00	447.00	447.00	447.00	447.00	447.00
86	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
86B	Conductor	115	86B TAP	MEADOW ROAD	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
86	Conductor	115	SEARSPORT 115	86A TAP	234.50	293.00	328.00	435.60	328.40	368.10	411.40	539.40
86	Conductor	115	86B TAP	HIGHLAND	234.50	293.00	328.00	435.60	328.40	368.10	411.40	539.40
86A	Conductor	115	86A TAP	BELFAST 115	44.30	44.30	62.90	62.90	246.90	246.90	270.50	341.00
86	Conductor	115	BUCKSPORT	STR 4	229.20	229.20	253.30	330.10	287.30	287.30	317.20	411.30
86	Conductor	115	STR 4	STR 46	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
86	Conductor	115	STR 46	SEARSPORT 115	160.00	160.00	166.30	200.10	199.40	199.40	206.40	246.60
86	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
86	Relay	115			460.00	460.00	460.00	460.00	460.00	460.00	460.00	460.00
86	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
86	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
86	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
86	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
86	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
86	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05

86	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
86	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
86	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
86	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
86	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
86A	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
86B	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
86	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
86	Conductor	115	LINCOLNVILLE	86B TAP	234.50	293.00	328.00	435.60	328.40	368.10	411.40	539.40
86	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
86	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
86	Conductor	115	86A TAP	LINCOLNVILLE	234.50	293.00	328.00	435.60	328.40	368.10	411.40	539.40
87	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
87	Conductor	115	NORWAY	KIMBALL ROAD	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
87	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
87	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
87	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
87	Relay	115			328.50	328.50	328.50	328.50	328.50	328.50	328.50	328.50
87	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
87	Relay	115			328.50	328.50	328.50	328.50	328.50	328.50	328.50	328.50
88	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	837.39
88	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
88	Relay	115			918.00	918.00	918.00	918.00	918.00	918.00	918.00	918.00
88	Relay	115			1084.00	1084.00	1084.00	1084.00	1084.00	1084.00	1084.00	1084.00
88	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
88	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
88	Conductor	115	MAXCYS 115	AUGUSTA EAST SIDE	113.60	113.60	125.20	145.20	210.00	210.00	220.00	267.60
88	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
89	Conductor	115	LIVERMORE FALLS	RILEY 115	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
89A	Conductor	115	89A TAP	JAY I.P.	28.00	28.00	33.80	33.80	88.10	88.10	88.10	97.00
89	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
89	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
89	AB Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
89	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
89	Relay	115			2312.00	2312.00	2312.00	2312.00	2312.00	2312.00	2312.00	2312.00
89	Relay	115			1717.00	1717.00	1717.00	1717.00	1717.00	1717.00	1717.00	1717.00
89	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
89	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
89A	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
89	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	837.39
140A	Conductor	115	140A TAP	PRATT AND WHITNEY	28.00	28.00	33.80	33.80	88.10	88.10	88.10	97.00
140	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
140	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
140	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
140	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	837.39
140	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
140	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
140	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
140	Relay	115			1352.00	1352.00	1352.00	1352.00	1352.00	1352.00	1352.00	1352.00
140	Conductor	115	STR 91	SECTION 140A	276.00	276.00	306.30	407.70	346.50	346.50	386.00	508.90
140	Relay	115			1022.00	1022.00	1022.00	1022.00	1022.00	1022.00	1022.00	1022.00
140	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
140	Conductor	115	SANFORD 115	STR 90	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50

140	Conductor	115	SECTION 140A	QUAKER HILL	276.00	276.00	306.30	407.70	346.50	346.50	386.00	508.90
140	Relay	115			657.00	657.00	657.00	657.00	657.00	657.00	657.00	657.00
140	Relay	115			1022.00	1022.00	1022.00	1022.00	1022.00	1022.00	1022.00	1022.00
160	Relay	115			3066.00	3066.00	3066.00	3066.00	3066.00	3066.00	3066.00	3066.00
160	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
160	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
160	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
160	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
160	Relay	115			3604.00	3604.00	3604.00	3604.00	3604.00	3604.00	3604.00	3604.00
160	Conductor	115	HINCKLEY POND	CAPE SUBSTATION	118.80	118.80	120.60	137.60	147.20	147.20	149.90	170.90
160	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
160	Conductor	115	PLEASANT HILL	HINCKLEY POND	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
160	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
160	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
160	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
160	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
160	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
161	Relay	115			857.70	857.70	857.70	857.70	857.70	857.70	857.70	857.70
161	Relay	115			1665.60	1665.60	1665.60	1665.60	1665.60	1665.60	1665.60	1665.60
161	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
161	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
161	Conductor	115	MOSHERS	SEWALL STREET	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
161	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
161	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
161	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
161	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
161	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
161	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
162	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
162	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
162	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
162	Relay	115			3659.00	3659.00	3659.00	3659.00	3659.00	3659.00	3659.00	3659.00
162	Relay	115			3126.50	3126.50	3126.50	3126.50	3126.50	3126.50	3126.50	3126.50
162	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
162	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
162	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
162	Conductor	115	MOSHERS	SOUTH GORHAM 115	276.00	276.00	306.30	407.70	346.50	346.50	386.00	508.90
162	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
162	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
162	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
162	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
162	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
162	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
163	Conductor	115	MAGUIRE ROAD	BRANCH BROOK	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
163	Relay	115			432.30	432.30	432.30	432.30	432.30	432.30	432.30	432.30
163	AB Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
163	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
163	Conductor	115	LOUDEN	MAGUIRE ROAD	104.10	104.10	106.10	121.10	129.30	129.30	130.60	148.80
163	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
163	Conductor	115	MAGUIRE ROAD	BRANCH BROOK	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
163	Breaker	115			175.28	188.03	266.11	318.70	196.00	213.53	291.61	318.70
163	Disc Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
163	Disc Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02

163	Trap	115			167.32	192.81	251.77	275.67	180.06	207.15	269.30	296.39
164	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
164	Relay	115			717.00	717.00	717.00	717.00	717.00	717.00	717.00	717.00
164	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
164	Relay	115			689.80	689.80	689.80	689.80	689.80	689.80	689.80	689.80
164	Breaker	115			657.31	705.12	997.92	1195.12	735.00	800.73	1093.53	1195.12
164	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
164	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
164	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
164	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
164	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
164	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
164A	Conductor	115	164A TAP	ELM STREET	43.80	43.80	62.80	72.80	185.40	185.40	194.10	234.10
164	Conductor	115	ELM STREET	SPRING STREET	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
164	Conductor	115	WF WYMAN	ELM STREET	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
164	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
164A	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
164A	Trap	115			167.32	192.81	251.77	275.67	180.06	207.15	269.30	296.39
165	Relay	115			483.90	483.90	483.90	483.90	483.90	483.90	483.90	483.90
165	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
165	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
165	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
165	Relay	115			483.90	483.90	483.90	483.90	483.90	483.90	483.90	483.90
165	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
165	Relay	115			483.90	483.90	483.90	483.90	483.90	483.90	483.90	483.90
165	Conductor	115	WF WYMAN	MOSHERS	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
165	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
165	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
165	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
165	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
165	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
165	Conductor	115	WF WYMAN	MOSHERS	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
165	Relay	115			1104.00	1104.00	1104.00	1104.00	1104.00	1104.00	1104.00	1104.00
165	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
166	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
166	Relay	115			561.30	561.30	561.30	561.30	561.30	561.30	561.30	561.30
166	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
166	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
166	Trap	115			167.32	192.81	251.77	275.67	180.06	207.15	269.30	296.39
166	Conductor	115	SUROWIEC 115	SPRING STREET	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
166	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
166	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
166	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
166	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
166	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
166	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
166	Conductor	115	SUROWIEC 115	SPRING STREET	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
166	Relay	115			412.40	412.40	412.40	412.40	412.40	412.40	412.40	412.40
166	Relay	115			561.30	561.30	561.30	561.30	561.30	561.30	561.30	561.30
166	Relay	115			412.40	412.40	412.40	412.40	412.40	412.40	412.40	412.40
166	Relay	115			412.40	412.40	412.40	412.40	412.40	412.40	412.40	412.40
167	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
167	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05

167A	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
167	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
167	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
167	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
167	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
167	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
167	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
167	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
167	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
167	Relay	115			412.00	412.00	412.00	412.00	412.00	412.00	412.00	412.00
167	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
167	Relay	115			630.00	630.00	630.00	630.00	630.00	630.00	630.00	630.00
167	Relay	115			630.00	630.00	630.00	630.00	630.00	630.00	630.00	630.00
167	Relay	115			412.00	412.00	412.00	412.00	412.00	412.00	412.00	412.00
167	Conductor	115	SUROWIEC 115	MOSHERS	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
167	Conductor	115	SUROWIEC 115	MOSHERS	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
167	Relay	115			412.00	412.00	412.00	412.00	412.00	412.00	412.00	412.00
167A	Conductor	115	167A TAP	PRIDES CORNER	43.80	43.80	62.80	72.80	185.40	185.40	194.10	234.10
167	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
167	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
169	AB Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
169	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
169	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
169	Conductor	115	WESTBROOK 115	SOUTH GORHAM 115	552.00	552.00	612.60	815.40	693.00	693.00	772.00	1017.80
169	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
169	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
169	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
169	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
169	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
169	AB Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
169	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
169	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
169	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
169	Relay	115			8439.00	8439.00	8439.00	8439.00	8439.00	8439.00	8439.00	8439.00
169	Relay	115			10951.00	10951.00	10951.00	10951.00	10951.00	10951.00	10951.00	10951.00
197	Relay	115			586.80	586.80	586.80	586.80	586.80	586.80	586.80	586.80
197	Breaker	115			175.28	188.03	266.11	318.70	196.00	213.53	291.61	318.70
197	Conductor	115	QUAKER HILL	THREE RIVERS	104.10	104.10	106.10	121.10	129.30	129.30	130.60	148.80
197	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
197	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
197	Trap	115			167.32	192.81	251.77	275.67	180.06	207.15	269.30	296.39
200A	Conductor	115	200A TAP	AEI	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
200	Conductor	115	LIVERMORE FALLS	GULF ISLAND	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
200	Relay	115			566.10	566.10	566.10	566.10	566.10	566.10	566.10	566.10
200A	Relay	115			216.00	216.00	216.00	216.00	216.00	216.00	216.00	216.00
200	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
200A	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
200	Relay	115			566.00	566.00	566.00	566.00	566.00	566.00	566.00	566.00
200	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
200	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
200	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05

200	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
200	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
200	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
200	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
200	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
200	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
201	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
201	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
201	Breaker	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
201	Conductor	115	GULF ISLAND	CROWLEYS	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
201	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
201	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
201	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
201	Relay	115			991.00	991.00	991.00	991.00	991.00	991.00	991.00	991.00
201	Relay	115			991.00	991.00	991.00	991.00	991.00	991.00	991.00	991.00
202	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
202	Relay	115			2449.00	2449.00	2449.00	2449.00	2449.00	2449.00	2449.00	2449.00
202	Conductor	115	CROWLEYS	LEWISTON LOWER	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
202	Relay	115			2222.70	2222.70	2222.70	2222.70	2222.70	2222.70	2222.70	2222.70
202	Breaker	115			286.23	306.95	434.42	520.27	319.89	348.58	476.05	520.27
202	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
202	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
202	Breaker	115			271.49	291.21	412.12	493.58	303.56	330.65	451.75	493.58
202	Disc Sw	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
203	Relay	115			427.00	427.00	427.00	427.00	427.00	427.00	427.00	427.00
203	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
203	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
203	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
203	Trap	115			167.32	192.81	251.77	275.67	180.06	207.15	269.30	296.39
203	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
203	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
203	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
203	Relay	115			427.00	427.00	427.00	427.00	427.00	427.00	427.00	427.00
203	Conductor	115	DETROIT	BUCKSPORT	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
203	Conductor	115	DETROIT	BUCKSPORT	229.20	229.20	253.30	330.10	287.30	287.30	317.20	411.30
203	Trap	115			167.32	192.81	251.77	275.67	180.06	207.15	269.30	296.39
203	Relay	115			419.00	419.00	419.00	419.00	419.00	419.00	419.00	419.00
204	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
204	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
204	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
204	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
204	Relay	115			261.00	261.00	261.00	261.00	261.00	261.00	261.00	261.00
204	Conductor	115	MASON 115	NEWCASTLE	44.30	44.30	62.90	62.90	246.90	246.90	270.50	341.00
204	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
204	Conductor	115	MASON 115	NEWCASTLE	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
205	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
205	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
205	Relay	115			781.00	781.00	781.00	781.00	781.00	781.00	781.00	781.00
205	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
205	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
205	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
205	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
205	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05

205	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
205	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
205	Breaker	115			438.21	470.08	665.28	796.74	490.00	533.82	729.02	796.74
205	Conductor	115	STR 4	CMP STR 53	222.00	222.00	238.40	303.80	277.90	277.90	299.10	378.40
205	Conductor	115	BUCKSPORT	STR 4	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
205	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
205	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
205	Conductor	115	CMP STR 53	BHE STR 95	222.00	222.00	238.40	303.80	277.90	277.90	299.10	378.40
206A	AB Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
206	Conductor	115	HIGHLAND	JCT 206A	104.10	104.10	106.10	121.10	129.30	129.30	130.60	148.80
206	Relay	115			209.00	209.00	209.00	209.00	209.00	209.00	209.00	209.00
206A	Conductor	115	206A TAP	DRAGON CEMENT	28.00	28.00	33.80	33.80	88.10	88.10	88.10	97.00
206	AB Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
206	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
206	Breaker	115			175.28	188.03	266.11	318.70	196.00	213.53	291.61	318.70
206	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
206	Conductor	115	JCT 206A	PARK STREET	104.10	104.10	106.10	121.10	129.30	129.30	130.60	148.80
207	Relay	115			782.00	782.00	782.00	782.00	782.00	782.00	782.00	782.00
207	Relay	115			782.00	782.00	782.00	782.00	782.00	782.00	782.00	782.00
207	Conductor	115	MASON 115	JCT 207A	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
207	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
207	Conductor	115	MASON 115	JCT 207A	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
207	Disc Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
207	Disc Sw	115			143.41	164.93	193.61	258.14	160.15	175.68	198.39	288.02
207	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
207	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
207	Conductor	115	JCT 207A	BATH 115	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
207	Conductor	115	JCT 207A	BATH 115	104.10	104.10	106.10	121.10	129.30	129.30	130.60	148.80
207	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
207	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
207	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
207	Relay	115			734.00	734.00	734.00	734.00	734.00	734.00	734.00	734.00
207A	Conductor	115	Jct 207	Maine Yankee 115	42.30	42.30	45.30	58.90	190.50	190.50	202.40	251.80
207A	Conductor	115	Jct 207	Maine Yankee 115	43.80	43.80	62.80	72.80	185.40	185.40	194.10	234.10
208	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
208	Conductor	115	SUROWIEC 115	RAYMOND 115	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
208	Relay	115			475.00	475.00	475.00	475.00	475.00	475.00	475.00	475.00
208	Relay	115			475.00	475.00	475.00	475.00	475.00	475.00	475.00	475.00
208	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
208	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
208	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
208	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
209	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
209	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
209	Conductor	115	RAYMOND 115	KIMBALL ROAD	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
209	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
209	Relay	115			558.00	558.00	558.00	558.00	558.00	558.00	558.00	558.00
209	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
209	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
209	Relay	115			558.00	558.00	558.00	558.00	558.00	558.00	558.00	558.00
210	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
210	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
210	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39

210	Relay	115			487.60	487.60	487.60	487.60	487.60	487.60	487.60	487.60
210	Relay	115			487.60	487.60	487.60	487.60	487.60	487.60	487.60	487.60
210	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
210	Conductor	115	KIMBALL ROAD	WOODSTOCK	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
210	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
211	Conductor	115	RUMFORD	WOODSTOCK	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
211	Relay	115			391.00	391.00	391.00	391.00	391.00	391.00	391.00	391.00
211	Relay	115			391.00	391.00	391.00	391.00	391.00	391.00	391.00	391.00
211	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
211	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
211	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
211	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
211	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
212	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
212	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
212	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
212	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
212	Relay	115			475.80	475.80	475.80	475.80	475.80	475.80	475.80	475.80
212	Relay	115			551.00	551.00	551.00	551.00	551.00	551.00	551.00	551.00
212	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
212	Conductor	115	BOWMAN STREET	GULF ISLAND	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
212	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
212	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
212	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
213	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
213	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
213	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
213	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
213	Relay	115			702.60	702.60	702.60	702.60	702.60	702.60	702.60	702.60
213	Relay	115			702.60	702.60	702.60	702.60	702.60	702.60	702.60	702.60
213	Conductor	115	BOWMAN STREET	PUDDLEDOCK ROAD	702.60	702.60	702.60	702.60	702.60	702.60	702.60	702.60
213	AB Sw	115			43.80	43.80	62.80	72.80	185.40	185.40	194.10	234.10
213	Conductor	115	NORTH AUGUSTA	AUGUSTA EAST SIDE	286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
213	Breaker	115			226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
213	AB Sw	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
213	Conductor	115	PUDDLEDOCK ROAD	NORTH AUGUSTA	286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
213	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
213	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
213	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
213	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
213	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
214	Conductor	115	HARRISON	LOVELL	43.80	43.80	62.80	72.80	185.40	185.40	194.10	234.10
214	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
214	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
214	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
214	Conductor	115	KIMBALL ROAD	HARRISON	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
214	Breaker	115			221.69	237.83	336.42	402.95	247.79	269.90	368.69	402.95
214	Conductor	115	LOVELL	PSNH STR #1	43.80	43.80	62.80	72.80	185.40	185.40	194.10	234.10
214	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
214	Relay	115			224.00	224.00	224.00	224.00	224.00	224.00	224.00	224.00
215	CKT Sw	115			151.78	162.73	230.46	275.87	169.71	184.84	252.37	275.87
215	Relay	115			79.70	79.70	79.70	79.70	79.70	79.70	79.70	79.70
215	Conductor	115	WYMAN HYDRO	BIGELOW	38.10	38.10	47.90	54.30	135.20	135.20	138.40	159.30

215	Relay	115			79.70	79.70	79.70	79.70	79.70	79.70	79.70	79.70
215	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
215A	Conductor	115	BIGELOW	STRATTON ENERGY AS	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
217	Conductor	115	KIMBALL ROAD	RUMFORD I.P.	276.00	276.00	306.30	407.70	346.50	346.50	386.00	508.90
217	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
217	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
217	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
217	Breaker	115			438.21	470.08	665.28	796.74	490.00	533.82	729.02	796.74
217	Breaker	115			438.21	470.08	665.28	796.74	490.00	533.82	729.02	796.74
217	AB Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
217	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
217	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
217	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
217	Relay	115			647.00	647.00	647.00	647.00	647.00	647.00	647.00	647.00
218	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
218	Relay	115			155.40	155.40	155.40	155.40	155.40	155.40	155.40	155.40
218	Conductor	115	RUMFORD	MEADE	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
218	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
218	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
219	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
219	Conductor	115	SOUTH GORHAM 115	LOUDEN	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
219	Relay	115			1545.00	1545.00	1545.00	1545.00	1545.00	1545.00	1545.00	1545.00
219	Relay	115			1545.00	1545.00	1545.00	1545.00	1545.00	1545.00	1545.00	1545.00
219	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
219	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
219	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
219	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
219	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
219	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
219	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
219	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
219	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
219	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
220	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
220	Conductor	115	SOUTH GORHAM 115	LOUDEN	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
220	Relay	115			2405.00	2405.00	2405.00	2405.00	2405.00	2405.00	2405.00	2405.00
220	Relay	115			1254.00	1254.00	1254.00	1254.00	1254.00	1254.00	1254.00	1254.00
220	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
220	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
220	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
220	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
220	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
220	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
220	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
220	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
220	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
222	Relay	115			419.00	419.00	419.00	419.00	419.00	419.00	419.00	419.00
222	Relay	115			419.00	419.00	419.00	419.00	419.00	419.00	419.00	419.00
222	Relay	115			419.00	419.00	419.00	419.00	419.00	419.00	419.00	419.00
222A	Conductor	115	222A TAP	MAFS SECT 1	38.10	38.10	47.90	54.30	135.20	135.20	138.40	159.30
222A	Conductor	115	222A TAP	MAFS SECT 1	42.30	42.30	45.30	58.90	190.50	190.50	202.40	251.80
222	Conductor	115	SECTION 222A TAP	WYMAN HYDRO	116.00	116.00	124.40	155.00	215.90	215.90	230.00	284.40
222	Conductor	115	HARRIS HYDRO	SECTION 222A TAP	84.80	84.80	89.30	102.20	152.80	152.80	156.50	182.20

222	Relay	115			419.00	419.00	419.00	419.00	419.00	419.00	419.00	419.00
222A	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
222A	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
222A	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
222	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
222	Disc Sw	115			143.41	164.93	193.81	258.14	160.15	175.88	198.39	288.02
222	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
222	Disc Sw	115			143.41	164.93	193.81	258.14	160.15	175.88	198.39	288.02
222	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
222	Conductor	115	SECTION 222A TAP	WYMAN HYDRO	84.80	84.80	89.30	102.20	152.80	152.80	156.50	182.20
223	Conductor	115	SOUTH GORHAM 115	WEST BUXTON 115	276.00	276.00	306.30	407.70	346.50	346.50	386.00	508.90
223	Relay	115			612.00	612.00	612.00	612.00	612.00	612.00	612.00	612.00
223	Relay	115			612.00	612.00	612.00	612.00	612.00	612.00	612.00	612.00
223	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
223	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
223	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
223	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
223	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
223	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
223	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
223	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
223	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
224	Conductor	115	WEST BUXTON 115	WATERBORO	276.00	276.00	306.30	407.70	346.50	346.50	386.00	508.90
224	Relay	115			472.00	472.00	472.00	472.00	472.00	472.00	472.00	472.00
224	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
224	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
225	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
225	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
225	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
225	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
225	Conductor	115	WATERBORO	SANFORD 115	276.00	276.00	306.30	407.70	346.50	346.50	386.00	508.90
225	Relay	115			656.00	656.00	656.00	656.00	656.00	656.00	656.00	656.00
225	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
225	Relay	115			660.00	660.00	660.00	660.00	660.00	660.00	660.00	660.00
226	Relay	115			261.00	261.00	261.00	261.00	261.00	261.00	261.00	261.00
226	Conductor	115	HIGHLAND	NEWCASTLE	216.70	216.70	236.70	296.00	317.30	317.30	347.40	438.30
226	Breaker	115			262.93	282.05	399.17	478.05	294.00	320.29	437.41	478.05
226	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
226	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
226	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
226	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
227	Conductor	115	RILEY 115	AELLC	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
227	Breaker	115			286.24	307.05	434.56	520.43	320.06	348.69	476.19	520.43
227	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
227	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
227	AB Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
227	Relay	115			1261.00	1261.00	1261.00	1261.00	1261.00	1261.00	1261.00	1261.00
228	Conductor	115	RUMFORD IP	RUMFORD 115	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
228	AB Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
228	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
228	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
228	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
228	Relay	115			2652.00	2652.00	2652.00	2652.00	2652.00	2652.00	2652.00	2652.00

228	Relay	115			3039.00	3039.00	3039.00	3039.00	3039.00	3039.00	3039.00	3039.00
228	Breaker	115			438.21	470.08	665.28	796.74	490.00	533.82	729.02	796.74
228	Breaker	115			438.21	470.08	665.28	796.74	490.00	533.82	729.02	796.74
228	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
228	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
228	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
228	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
229	Conductor	115	RILEY 115	RUMFORD I.P.	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
229	Breaker	115			286.24	307.05	434.56	520.43	320.06	348.69	476.19	520.43
229	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
229	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
229	AB Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
229	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
229	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
229	Relay	115			1038.00	1038.00	1038.00	1038.00	1038.00	1038.00	1038.00	1038.00
229	Relay	115			1254.00	1254.00	1254.00	1254.00	1254.00	1254.00	1254.00	1254.00
229	Breaker	115			438.21	470.08	665.28	796.74	490.00	533.82	729.02	796.74
229	AB Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
229	Breaker	115			438.21	470.08	665.28	796.74	490.00	533.82	729.02	796.74
229	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
229	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
230	Conductor	115	RILEY 115	JAY IP	104.10	104.10	106.10	121.10	129.30	129.30	130.60	148.80
230	Breaker	115			286.24	307.05	434.56	520.43	320.06	348.69	476.19	520.43
230	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
230	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
230	AB Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
230	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
230	Relay	115			1643.00	1643.00	1643.00	1643.00	1643.00	1643.00	1643.00	1643.00
231	Conductor	115	WESTBROOK 115	SOUTH GORHAM 115	552.00	552.00	612.60	815.40	693.00	693.00	772.00	1017.80
231	AB Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
231	AB Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
231	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
231	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
231	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
231	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
231	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
231	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
231	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
231	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
231	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
231	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
231	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
231	Relay	115			8439.00	8439.00	8439.00	8439.00	8439.00	8439.00	8439.00	8439.00
231	Relay	115			10951.00	10951.00	10951.00	10951.00	10951.00	10951.00	10951.00	10951.00
232	Conductor	115	SPRING STREET	WESTBROOK 115	552.00	552.00	612.60	815.40	693.00	693.00	772.00	1017.80
232	AB Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
232	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
232	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
232	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
232	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
232	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
232	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
232	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
232	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
232	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09

232	Breaker	115			657.31	705.12	997.92	1195.12	735.00	800.73	1093.53	1195.12
232	Relay	115			28029.00	28029.00	28029.00	28029.00	28029.00	28029.00	28029.00	28029.00
232	Relay	115			28029.00	28029.00	28029.00	28029.00	28029.00	28029.00	28029.00	28029.00
233	Conductor	115	SPRING STREET	WESTBROOK 115	552.00	552.00	612.60	815.40	693.00	693.00	772.00	1017.80
233	AB Sw	115			717.07	824.63	988.04	1290.72	800.73	878.41	991.95	1440.11
233	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.81	661.30	960.08
233	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.81	661.30	960.08
233	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
233	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
233	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
233	Disc Sw	115			717.07	824.63	968.04	1290.72	800.73	878.41	991.95	1440.11
233	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
233	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
233	Breaker	115			657.31	705.12	997.92	1195.12	735.00	800.73	1093.53	1195.12
233	Relay	115			28029.00	28029.00	28029.00	28029.00	28029.00	28029.00	28029.00	28029.00
233	Relay	115			28029.00	28029.00	28029.00	28029.00	28029.00	28029.00	28029.00	28029.00
234	Conductor	115	SPRING STREET	RED BROOK	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
234	Conductor	115	RED BROOK	PLEASANT HILL	226.10	226.10	246.80	320.00	283.20	283.20	308.80	397.30
234	Breaker	115			525.85	564.09	798.34	956.09	588.00	640.58	874.82	956.09
234	Breaker	115			438.21	470.08	665.28	796.74	490.00	533.82	729.02	796.74
234	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
234	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
234	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
234	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
234	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
234	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
234	Relay	115			3120.00	3120.00	3120.00	3120.00	3120.00	3120.00	3120.00	3120.00
234	Relay	115			3120.00	3120.00	3120.00	3120.00	3120.00	3120.00	3120.00	3120.00
234	Relay	115			2472.00	2472.00	2472.00	2472.00	2472.00	2472.00	2472.00	2472.00
234	Relay	115			2472.00	2472.00	2472.00	2472.00	2472.00	2472.00	2472.00	2472.00
234	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
247	Relay	115			127.50	127.50	127.50	127.50	127.50	127.50	127.50	127.50
247	Relay	115			127.50	127.50	127.50	127.50	127.50	127.50	127.50	127.50
247	Relay	115			127.50	127.50	127.50	127.50	127.50	127.50	127.50	127.50
247	Relay	115			127.50	127.50	127.50	127.50	127.50	127.50	127.50	127.50
247	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
247	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
247	Relay	115			127.50	127.50	127.50	127.50	127.50	127.50	127.50	127.50
247	Relay	115			127.50	127.50	127.50	127.50	127.50	127.50	127.50	127.50
247	Relay	115			127.50	127.50	127.50	127.50	127.50	127.50	127.50	127.50
247	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
248	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
248	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
248	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
248	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
248	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
248	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
248	Relay	115			1090.00	1090.00	1090.00	1090.00	1090.00	1090.00	1090.00	1090.00
248	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
248	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
249	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
249	Relay	115			1090.00	1090.00	1090.00	1090.00	1090.00	1090.00	1090.00	1090.00
249	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
249	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05

249	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
249	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
249	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
249	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
249	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
250	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
250	Conductor	115	LOUDEN	MAGUIRE ROAD	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
250	Conductor	115	MAGUIRE ROAD	THREE RIVERS	219.90	219.90	237.80	297.80	275.20	275.20	293.20	369.50
250A	Conductor	115	250A TAP	BIDDEFORD IND PARK	276.00	276.00	306.30	407.70	346.50	346.50	386.00	508.90
250	Relay	115			346.00	346.00	346.00	346.00	346.00	346.00	346.00	346.00
250	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
250	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
250	Trap	115			250.97	289.22	377.66	413.51	270.10	310.73	403.95	444.58
250	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
250	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
250	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
250	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
250A	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
250A	AB Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
275	Relay	115			17506.00	17506.00	17506.00	17506.00	17506.00	17506.00	17506.00	17506.00
275	Relay	115			17506.00	17506.00	17506.00	17506.00	17506.00	17506.00	17506.00	17506.00
275	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
275	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
275	Breaker	115			438.21	470.08	665.28	796.74	490.00	533.82	729.02	796.74
275	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
275	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
275	Conductor	115	FORE RIVER	CAPE SUBSTATION	159.00	171.00	177.00	177.00	159.00	171.00	177.00	177.00
275	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
277	Conductor	115	SEWALL STREET	FORE RIVER	169.00	183.00	189.00	189.00	169.00	183.00	189.00	189.00
277	Breaker	115			350.57	376.06	532.22	637.39	392.00	427.05	583.22	637.39
277	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
277	Disc Sw	115			286.83	329.85	387.22	516.29	320.29	351.36	396.78	576.05
277	Relay	115			17505.00	17505.00	17505.00	17505.00	17505.00	17505.00	17505.00	17505.00
277	Breaker	115			438.21	470.08	665.28	796.74	490.00	533.82	729.02	796.74
277	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
277	Disc Sw	115			478.05	549.75	645.36	860.48	533.82	585.61	661.30	960.08
277	Relay	115			17506.00	17506.00	17506.00	17506.00	17506.00	17506.00	17506.00	17506.00
374	Conductor	345	BUXTON 345	SUROWIEC 345	1388.40	1388.40	1482.60	1778.60	1739.10	1739.10	1848.40	2269.80
374	AB Sw	345			1434.14	1649.26	1936.09	2581.45	1801.45	1756.82	1983.89	2880.23
374	Relay	345			5953.00	5953.00	5953.00	5953.00	5953.00	5953.00	5953.00	5953.00
374	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91
374	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
374	Breaker	345			1971.94	2115.35	2993.76	3585.35	2204.99	2402.18	3280.59	3585.35
374	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
374	Relay	345			4634.00	4634.00	4634.00	4634.00	4634.00	4634.00	4634.00	4634.00
374	AB Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
374	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
374	Breaker	345			1577.55	1692.28	2395.01	2868.28	1763.99	1921.75	2624.47	2868.28
374	Breaker	345			1577.55	1692.28	2395.01	2868.28	1763.99	1921.75	2624.47	2868.28
374	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
374	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
374	Breaker	345			1971.94	2115.35	2993.76	3585.35	2204.99	2402.18	3280.59	3585.35
374	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91

378	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
378	Breaker	345			1051.70	1128.19	1596.67	1912.18	1175.99	1281.16	1749.65	1912.18
378	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
378	AB Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
378	AB Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
378	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91
378	Breaker	345			1051.70	1128.19	1596.67	1912.18	1175.99	1281.16	1749.65	1912.18
378	Relay	345			3217.00	3217.00	3217.00	3217.00	3217.00	3217.00	3217.00	3217.00
378	Relay	345			4062.00	4062.00	4062.00	4062.00	4062.00	4062.00	4062.00	4062.00
378	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
378	Conductor	345	MAINE YANKEE 345	MASON 345	261.70	261.70	266.40	336.80	1170.00	1170.00	1228.60	1509.40
378	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
385	Conductor	345	CMP STR 1	BUXTON 345	1388.40	1388.40	1462.60	1778.60	1739.10	1739.10	1848.40	2269.80
385	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
385	Breaker	345			1971.94	2115.35	2993.76	3585.35	2204.99	2402.18	3280.59	3585.35
385	Relay	345			4133.00	4133.00	4133.00	4133.00	4133.00	4133.00	4133.00	4133.00
385	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
385	AB Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
385	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91
385	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
385	Breaker	345			1971.94	2115.35	2993.76	3585.35	2204.99	2402.18	3280.59	3585.35
385	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
386	AB Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
386	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91
386	AB Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
386	Breaker	345			1314.63	1410.24	1995.84	2390.23	1469.99	1601.45	2187.06	2390.23
386	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91
386	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
386	Breaker	345			1971.94	2115.35	2993.76	3585.35	2204.99	2402.18	3280.59	3585.35
386	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
386	AB Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
386	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91
386	AB Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
386	Breaker	345			1314.63	1410.24	1995.84	2390.23	1469.99	1601.45	2187.06	2390.23
386	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91
386	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
386	Breaker	345			1971.94	2115.35	2993.76	3585.35	2204.99	2402.18	3280.59	3585.35
386	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
386	Conductor	345	WF WYMAN 345	SOUTH GORHAM 345	1511.70	1511.70	1637.80	2027.40	1896.20	1896.20	2063.60	2590.60
386	Conductor	345	SOUTH GORHAM 345	BUXTON 345	1511.70	1511.70	1637.80	2027.40	1896.20	1896.20	2063.60	2590.60
386	AB Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
386	Relay	345			5475.00	5475.00	5475.00	5475.00	5475.00	5475.00	5475.00	5475.00
386	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
386	Relay	345			5557.00	5557.00	5557.00	5557.00	5557.00	5557.00	5557.00	5557.00
388	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
388	Disc Sw	345			2151.21	2473.89	2904.13	3872.17	2402.18	2635.23	2975.84	4320.34
388	Breaker	345			1577.55	1692.28	2395.01	2868.28	1763.99	1921.75	2624.47	2868.28
388	Disc Sw	345			2151.21	2473.89	2904.13	3872.17	2402.18	2635.23	2975.84	4320.34
388	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91
388	Breaker	345			1577.55	1692.28	2395.01	2868.28	1763.99	1921.75	2624.47	2868.28
388	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
388	Relay	345			3517.00	3517.00	3517.00	3517.00	3517.00	3517.00	3517.00	3517.00
388	Conductor	345	MAXCYS 345	STR 421	1388.40	1388.40	1462.60	1778.60	1739.10	1739.10	1848.40	2269.80
388	Conductor	345	STR 421	STR 432	1460.20	1460.20	1570.80	1938.40	1830.70	1830.70	1978.40	2475.80
388	Conductor	345	STR 432	ORRINGTON	1388.40	1388.40	1462.60	1778.60	1739.10	1739.10	1848.40	2269.80
388	AB Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
388	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91
388	Breaker	345			1577.55	1692.28	2395.01	2868.28	1763.99	1921.75	2624.47	2868.28
388	Relay	345			4199.00	4199.00	4199.00	4199.00	4199.00	4199.00	4199.00	4199.00
388	Breaker	345			1577.55	1692.28	2395.01	2868.28	1763.99	1921.75	2624.47	2868.28
388	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23

388	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
388	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
388	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
391	Relay	345			2977.00	2977.00	2977.00	2977.00	2977.00	2977.00	2977.00	2977.00
391	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
391	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
391	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
391	AB Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
391	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91
391	Breaker	345			1971.94	2115.35	2993.76	3585.35	2204.99	2402.18	3280.59	3585.35
391	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
391	Conductor	345	CMP STR 1	BUXTON 345	1388.40	1388.40	1462.60	1778.60	1739.10	1739.10	1848.40	2269.80
391	Breaker	345			1971.94	2115.35	2993.76	3585.35	2204.99	2402.18	3280.59	3585.35
392	Disc Sw	345			2151.21	2473.89	2904.13	3872.17	2402.18	2635.23	2975.84	4320.34
392	Relay	345			7344.00	7344.00	7344.00	7344.00	7344.00	7344.00	7344.00	7344.00
392	Relay	345			7344.00	7344.00	7344.00	7344.00	7344.00	7344.00	7344.00	7344.00
392	Conductor	345	MAINE YANKEE 345	STR 17	1460.20	1460.20	1570.80	1938.40	1830.70	1830.70	1978.40	2475.80
392	Conductor	345	STR 17	MAXCYS 345	1388.40	1388.40	1462.60	1778.60	1739.10	1739.10	1848.40	2269.80
392	Breaker	345			1971.94	2115.35	2993.76	3585.35	2204.99	2402.18	3280.59	3585.35
392	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
392	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
392	Breaker	345			1314.63	1410.24	1995.84	2390.23	1469.99	1601.45	2187.06	2390.23
392	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
392	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91
392	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
392	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91
392	Disc Sw	345			2151.21	2473.89	2904.13	3872.17	2402.18	2635.23	2975.84	4320.34
392	Breaker	345			1971.94	2115.35	2993.76	3585.35	2204.99	2402.18	3280.59	3585.35
392	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
392	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
392	Breaker	345			1314.63	1410.24	1995.84	2390.23	1469.99	1601.45	2187.06	2390.23
392	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
396	Conductor	345	CHESTER SVC	STR 1	962.00	962.00	1019.80	1248.00	1459.10	1459.10	1550.60	1901.80
396	Conductor	345	ORRINGTON	CHESTER SVC	939.40	939.40	1010.80	1235.40	1425.40	1425.40	1518.20	1885.80
396	Conductor	345	ORRINGTON	CHESTER SVC	962.00	962.00	1019.80	1248.00	1459.10	1459.10	1550.60	1901.80
396	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
396	Relay	345			2532.00	2532.00	2532.00	2532.00	2532.00	2532.00	2532.00	2532.00
396	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
396	Breaker	345			1577.55	1692.28	2395.01	2868.28	1783.99	1921.75	2624.47	2868.28
396	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
396	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
396	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91
396	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91
396	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
396	Breaker	345			1314.63	1410.24	1995.84	2390.23	1469.99	1601.45	2187.06	2390.23
396	Disc Sw	345			1434.14	1649.26	1936.09	2581.45	1601.45	1756.82	1983.89	2880.23
396	Trap	345			1254.87	1446.09	1888.28	2067.55	1350.48	1553.65	2019.74	2222.91